

Hosted by LSE Works: LSE IDEAS

Drug Policies Beyond the War on Drugs

Dr John Collins

Executive Director, International
Drug Policy Project, LSE

Dr Joanne Csete

Commissioner, *Lancet*
Commission on Drug Policy

Professor Lawrence

Phillips

Emeritus Professor of Decision
Sciences, LSE

Dr Michael Shiner

Head of Teaching, IDPP and
Associate Professor of Social
Policy, LSE

Dr Mary Martin

Chair, LSE

EVENTS

Hashtag for Twitter users: #LSEworks

@lsepublicevents

lse.ac.uk/events



THE LONDON SCHOOL
OF ECONOMICS AND
POLITICAL SCIENCE ■

An MCDA framework for evaluating and appraising government policy for psychoactive drugs

Professor Larry Phillips



London School of Economics

and



Facilitations Limited

LSE Works
Public Lecture
15 February 2017

Nutt, D. J., King, L. A., Phillips, L. D., & on behalf of the Independent Scientific Committee on Drugs. (2010). Drug harms in the UK: a multicriteria decision analysis. *The Lancet*, 376(1558-65).

Drug harms in the UK: a multicriteria decision analysis



David J Nutt, Leslie A King, Lawrence D Phillips, on behalf of the Independent Scientific Committee on Drugs

Summary

Background Proper assessment of the harms caused by the misuse of drugs can inform policy makers in health, policing, and social care. We aimed to apply multicriteria decision analysis (MCDA) modelling to a range of drug harms in the UK.

Method Members of the Independent Scientific Committee on Drugs, including two invited specialists, met in a 1-day interactive workshop to score 20 drugs on 16 criteria: nine related to the harms that a drug produces in the individual and seven to the harms to others. Drugs were scored out of 100 points, and the criteria were weighted to indicate their relative importance.

Findings MCDA modelling showed that heroin, crack cocaine, and metamfetamine were the most harmful drugs to individuals (part scores 34, 37, and 32, respectively), whereas alcohol, heroin, and crack cocaine were the most harmful to others (46, 21, and 17, respectively). Overall, alcohol was the most harmful drug (overall harm score 72), with heroin (55) and crack cocaine (54) in second and third places.

Interpretation These findings lend support to previous work assessing drug harms, and show how the improved scoring and weighting approach of MCDA increases the differentiation between the most and least harmful drugs. However, the findings correlate poorly with present UK drug classification, which is not based simply on considerations of harm.

Published Online
November 1, 2010
DOI:10.1016/S0140-6736(10)61462-6

See Online/Comment
DOI:10.1016/S0140-6736(10)62000-4



Neuropsychopharmacology Unit, Imperial College, London, UK (Prof D J Nutt FMedSci); UK Expert Adviser to the European Monitoring Centre for Drugs and Drug Addiction (EMCDDA), Lisbon, Portugal (L A King PhD); and Department of Management, London School of Economics and Political Science, London, UK (L D Phillips PhD)

Correspondence to:
Prof David J Nutt,

d.nutt@imperial.ac.uk

Multi-Criteria Decision Analysis

- A methodology for appraising options on multiple criteria, and combining them into one overall appraisal
- MCDA converts all input evaluations of decision outcomes into common units of *value added*



A system *not* based on MCDA




MCDA doesn't compare apples to oranges.

It compares the added values of apples and oranges for achieving your objectives.

Method

Study design

- 16 harm criteria developed by the UK's ACMD ⇒
- 20 drugs
- ISCD members plus 2 external experts
- Meeting facilitated as a decision conference



Decision Conference

- A one-to-three-day workshop
- To resolve important issues of concern
- Attended by key players who represent the diversity of perspectives on the issues
- Facilitated by an impartial specialist in group processes and decision analysis
- Using a requisite (just-good-enough) model created on-the-spot to help provide structure to thinking



The 20 drugs



Heroin

Crack

Cocaine

Alcohol

Tobacco

Amphetamine

Mephedrone

Buprenorphine

Benzodiazepines

Cannabis

Anabolic Steroids

Ecstasy

Ketamine

LSD

Mushrooms


Methylamphet-amine

Khat


Butane

Methadone

GHB



Results




Drug Harm Policy project

- Collaboration: DrugScience + Frisch Centre
 - DrugScience (Professor David Nutt is founder and Chair)
 - Ragnar Frisch Centre for Economic Research (Ole Rogeberg is the lead researcher)
 - Funded by the Norwegian Research Council.
- Purpose
 - Develop an analytic *framework* for describing, measuring, assessing and discussing drug policy
- Decision conferences
 - 10-11 September 2015 and 20-21 January 2016
 - 18 participants, various backgrounds
 - Phillips & Nutt facilitating
 - Three models to test framework: alcohol, cannabis and heroin

Policy options

- Absolute Prohibition
- State Control
- Decriminalisation
- Free Market

Production	Sale/distribution	Purchase	Purchase volume (for legal users)	Possession	Use
Illegal (strong sanctions)	Illegal (strong sanctions)	Illegal (strong sanctions)	None - illegal	Illegal (strong sanctions)	Illegal (strong sanctions)
Illegal (weak sanctions - de jure or de facto decriminalized)	Illegal (weak sanctions - de jure or de facto decriminalized)	Illegal (weak sanctions - de jure or de facto decriminalized)	Per person quotas	Illegal (weak sanctions - de jure or de facto decriminalized)	Illegal (weak sanctions - de jure or de facto decriminalized)
State controlled	State-licensed retail stores or pharmacies	Only adults (age restrictions)	Per purchase quotas	Limited quantity per person (e.g., for personal use)	Only in specific licensed venues or private homes
No restrictions for companies or individuals	No restrictions - any retail store	No restrictions	No restrictions	No restrictions	No restrictions





Drug Harm Policy value tree

7 impacts
 Health
 Social
 Political
 Public
 Crime
 Economic
 Costs

27 evaluation criteria
 (with clear definitions)


Scoring the policy options

Direct scoring of harm



A cardinal scale: differences between scores are interpretable, not their ratios.

Weighting the criteria



- Some criteria represent more harm reduction than others.
- Swing-weights equate the units of harm on all the criteria: the reduction in harm from 0 to 100.
- The group considered this question to compare the levels of harm reduction on the criteria:


“How big is the difference in harm reduction and how much do you care about that difference?”

But, the four policies are all hypothetical states about the future.

There are no data about the future.

So, how reliable (repeatable)
and valid (represent actual harm)
are direct preference judgements?

Drug harm: UK 2010 vs. Europe 2013




Direct preference judgements are reliable and valid in a decision conference if:


- Criteria are defined clearly
- Group members represent differing perspectives
- Peer review occurs face-to-face
- Group is properly facilitated

MCDCA results

Alcohol




Cannabis




For both drugs, a legal but strictly regulated market is judged to yield the best reduction in harm overall.

MCDCA results

Heroin




Cannabis



A strictly regulated market is best at reducing harm for both drugs.

Sensitivity analyses at each node cannabis



State Control remains most preferred option over a wide range of weights.

Also for alcohol and heroin.


Current state

1. Alcohol results confirm current public health and medical opinion. Not so for cannabis or heroin.
2. For both substances, a legal but strictly regulated market is judged to yield the best reduction in harm.
3. Was there a 'reformist bias' in the group?
4. Need further research by other teams.
5. We now have the beginnings of a coherent analytic framework for describing, measuring, assessing and discussing drug policy


A guide to further reading



Multi-criteria
analysis: a manual,
2000
(Dodgson, Spackman,
Pearman & Phillips)
*Chapter 6 is an
MCDA tutorial.*



Cambridge University
Press, 1993
*The book that
introduced MCDA in
1976 (Wiley).*



UIT Cambridge Ltd,
2012
*Explains the harms of
misusing psychoactive
legal & illegal drugs.*

Hosted by LSE Works: LSE IDEAS

Drug Policies Beyond the War on Drugs

Dr John Collins

Executive Director, International
Drug Policy Project, LSE

Dr Joanne Csete

Commissioner, *Lancet*
Commission on Drug Policy

Professor Lawrence

Phillips

Emeritus Professor of Decision
Sciences, LSE

Dr Michael Shiner

Head of Teaching, IDPP and
Associate Professor of Social
Policy, LSE

Dr Mary Martin

Chair, LSE

EVENTS

Hashtag for Twitter users: #LSEworks

@lsepublicevents

lse.ac.uk/events



THE LONDON SCHOOL
OF ECONOMICS AND
POLITICAL SCIENCE ■